

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	166	380/45.ccls.	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/24 17:35
S2	31	380/45.ccls. and hash	US-PGPUB; USPAT; DERWENT	OR	OFF	2003/09/30 13:41
S3	28	380/45.ccls. and digital adj signature	US-PGPUB; USPAT; DERWENT	OR	OFF	2003/09/30 13:41
S4	24	(380/45.ccls. and digital adj signature) and @ad<="19991004"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/25 10:35
S5	28	(380/45.ccls. and hash) and @ad<="19991004"	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/04/01 17:32
S6	2	"5633932".pn.	US-PGPUB; USPAT; DERWENT	OR	OFF	2003/09/30 14:02
S7	2	"5720012".pn.	US-PGPUB; USPAT; DERWENT	OR	OFF	2003/09/30 15:02
S8	47273	e\$1mail or (electronic adj mail) or email	US-PGPUB; USPAT; DERWENT	OR	OFF	2003/09/30 18:37
S9	20	(e\$1mail or (electronic adj mail) or email) same header same hash	US-PGPUB; USPAT; DERWENT	OR	OFF	2003/09/30 18:36
S10	7	((e\$1mail or (electronic adj mail) or email) same header same hash) and @ad<="19991004"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/21 10:18
S11	250	header near5 hash	US-PGPUB; USPAT; DERWENT	OR	OFF	2003/09/30 18:37
S12	43	((header near5 hash) and mail) and @ad<="19991004"	US-PGPUB; USPAT; DERWENT	OR	OFF	2003/09/30 18:39
S13	136	380/243.ccls.	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/03/18 15:55
S14	85	380/243.ccls. and encrypt\$	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/03/18 15:55
S15	13	(380/243.ccls. and encrypt\$) and (twice or double)	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/03/18 15:55

S16	11	((380/243.ccls. and encrypt\$) and (twice or double)) and @ad<="19991004"	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/03/18 16:13
S17	3613	print\$ same encrypt\$	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/03/18 16:13
S18	37	(print\$ same encrypt\$) same (twice or double)	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/03/18 16:13
S19	16	((print\$ same encrypt\$) same (twice or double)) and @ad<="19991004"	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/03/18 16:23
S20	29	image same encrypt\$ same asymmetric	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/03/18 16:23
S21	7	(image same encrypt\$ same asymmetric) and @ad<="19991004"	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/03/18 16:23
S22	2	asymmetric same double adj encrypt\$3	US-PGPUB; USPAT; DERWENT	OR	ON	2004/03/31 13:27
S23	214	public adj key same two adj different	US-PGPUB; USPAT; DERWENT	OR	ON	2004/03/31 13:27
S24	6	(public adj key same two adj different) same image	US-PGPUB; USPAT; DERWENT	OR	ON	2004/03/31 13:28
S25	6	((public adj key same two adj different) same image) and @ad<="19991004"	US-PGPUB; USPAT; DERWENT	OR	ON	2004/03/31 17:48
S26	30	"5392351".pn. "5606613".pn. "5633932".pn. "5720012".pn. "5752697".pn. "5903646".pn. "5933498".pn. "5933501".pn. "5949881".pn. "6314521".pn. "6343361".pn. "6378070".pn. "6385728".pn. "6430690".pn. "6466921".pn.	US-PGPUB; USPAT; DERWENT	OR	ON	2004/03/31 14:57
S27	1543	printer same encrypt\$	US-PGPUB; USPAT; DERWENT	OR	ON	2004/03/31 17:54
S28	18	(printer same encrypt\$) same symmetric same asymmetric	US-PGPUB; USPAT; DERWENT	OR	ON	2004/03/31 17:55
S29	10	((printer same encrypt\$) same symmetric same asymmetric) and @ad<="19991004"	US-PGPUB; USPAT; DERWENT	OR	ON	2004/03/31 17:55

S30	240	(printer same encrypt\$) same public	US-PGPUB; USPAT; DERWENT	OR	ON	2004/03/31 17:55
S31	77	((printer same encrypt\$) same public) same private	US-PGPUB; USPAT; DERWENT	OR	ON	2004/03/31 17:55
S32	27	((((printer same encrypt\$) same public) same private) and @ad<="19991004"	US-PGPUB; USPAT; DERWENT	OR	ON	2004/03/31 17:55
S33	4	printer same public adj key same private adj key same symmetric adj key	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/04/01 15:28
S34	3	("5596718"   "6163383"   "6181436").PN.	USPAT	OR	OFF	2004/04/01 16:28
S35	10	("5450493"   "5633932"   "5692048"   "5708780"   "5751809"   "5878144"   "5884033"   "5956154"   "5970147"   "6028933").PN.	USPAT	OR	OFF	2004/04/01 16:35
S36	389	encrypt\$3 same image same public	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/04/01 17:33
S37	61	(encrypt\$3 same image same public) same (two or double)	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/04/01 17:34
S38	36	((encrypt\$3 same image same public) same (two or double)) and @ad<="19991004"	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/04/01 18:47
S39	322	380/285.ccls. 380/284.ccls. 380/282.ccls.	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/04/01 18:47
S40	33	(380/285.ccls. 380/284.ccls. 380/282.ccls.) and printer	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/04/01 18:47
S41	20	((380/285.ccls. 380/284.ccls. 380/282.ccls.) and printer) and @ad<="19991004"	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/04/02 11:28
S42	322	380/285.ccls. 380/284.ccls. 380/282.ccls.	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/04/02 11:29
S43	175	(380/285.ccls. 380/284.ccls. 380/282.ccls.) and public adj key same private adj key	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/04/02 13:31
S44	113	((380/285.ccls. 380/284.ccls. 380/282.ccls.) and public adj key same private adj key) and @ad<="19991004"	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/04/02 12:04

S45	17	((380/285.ccls. 380/284.ccls. 380/282.ccls.) and public adj key same private adj key) and double	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/04/02 12:05
S46	10	((((380/285.ccls. 380/284.ccls. 380/282.ccls.) and public adj key same private adj key) and double) and @ad<="19991004"	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/04/02 12:05
S47	161	((380/285.ccls. 380/284.ccls. 380/282.ccls.) and public adj key same private adj key) and second	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/04/02 12:05
S48	107	((((380/285.ccls. 380/284.ccls. 380/282.ccls.) and public adj key same private adj key) and second) and @ad<="19991004"	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/04/02 13:36
S49	1095	public adj key same private adj key same (double or second)	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/04/02 13:35
S50	163	public adj key same private adj key same ((double adj encrypt\$3) or (second adj key))	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/04/02 13:36
S51	76	(public adj key same private adj key same ((double adj encrypt\$3) or (second adj key))) and @ad<="19991004"	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/04/02 14:53
S52	140	encrypt\$3 same second adj public adj key	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/04/02 14:53
S53	68	(encrypt\$3 same second adj public adj key) and @ad<="19991004"	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/04/02 15:04
S54	209	key adj encrypt\$3 adj key same public adj key	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/04/02 15:04
S55	6	("4876725"   "5050220"   "5095194"   "5138468"   "5345508"   "5469506").PN.	USPAT	OR	OFF	2004/04/02 16:03
S56	0	printer adj key same user adj key	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/11 13:22
S57	261	printer adj key	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/11 13:23
S59	164	S57 and @ad<="19991004"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/11 13:33
S61	89	380/243.ccls. and key	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/11 13:33

S62	72	S61 and @ad<="19991004"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/11 13:33
S63	261	printer adj key	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/14 13:50
S64	47	S63 same image	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/14 14:05
S65	84	encrypt\$3 same key same printer same image	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/14 14:12
S66	15	S65 same user	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/14 14:12
S67	5	S66 and @ad<="19991004"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/14 14:16
S68	0	double adj encryption same printer	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/14 14:16
S69	174	double adj encryption	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/14 14:17
S70	6027	printer with key	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/21 10:18
S71	24	Symmetric same public same printer	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/21 10:18
S72	4	S71 and @ad<="19991004"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/21 16:29
S73	2	"5633932".pn.	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/21 16:29
S78	73	(380/284.ccls. 380/285.ccls.) and user near5 public	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/22 13:54
S80	52	S78 and @ad<="19991004"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/22 15:55
S81	434	double near5 encrypt\$3	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/22 15:55
S82	112	S81 same (Private or public)	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/22 15:55

S83	55	S82 and @ad<="19991004"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/22 16:13
S84	2396	(smart\$1card or (smart adj card)) same print\$3	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/24 12:37
S85	348	S84 same key	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/24 12:37
S86	19	("5191611"   "5392351"   "5398283"   "5495533"   "5606613"   "5633932"   "5720012"   "5752697"   "5903646"   "5933498"   "5933501"   "5949881"   "6111953"   "6314521"   "6343361"   "6378070"   "6385728"   "6430690"   "6466921").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/24 13:58
S87	21	hash same header same sign	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/24 16:12
S88	8	S87 and @ad<="19991004"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/24 13:58
S89	1382	hash\$3 same header	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/24 16:20
S90	179	S89 same sign\$3	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/24 16:21
S91	60	S90 and @ad<="19991004"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/24 16:44
S92	787	header with hash\$3	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/24 16:44
S93	60	S92 with sign\$3	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/24 16:44
S94	22	S93 and @ad<="19991004"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/24 17:22
S95	212	digest with header	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/24 17:21
S96	140	digest near5 header	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/24 17:21

S97	8	S96 near5 sign\$3	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/24 17:21
S98	6	S97 and @ad<="19991004"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/24 17:22
S99	425	id with hash\$3 with key	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/24 17:35
S10 0	29	id with hash\$3 with key same header	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/24 17:35
S10 1	4	S100 and @ad<="19991004"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/24 17:46
S10 2	52	digest with id with key	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/24 17:37
S10 3	19	S102 and @ad<="19991004"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/24 17:40
S10 4	39	id with key with checksum	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/24 17:40
S10 5	14	S104 and @ad<="19991004"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/24 17:44
S10 6	294	(checksum or hash or digest) with (source or user or sender) with (destination or recipient or receiver) with key	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/24 17:45
S10 7	14	S106 same header	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/24 17:45
S10 8	3	S107 and @ad<="19991004"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/24 17:46
S10 9	4	phash	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/25 10:35
S11 0	3	S109 and @ad<="19991004"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/25 10:43
S11 1	1501	recipient same sender same key	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/25 10:43
S11 2	221	S111 same hash	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/25 10:43

S11 3	56	S112 and @ad<="19991004"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/03/25 10:43
----------	----	--------------------------	--------------------------------	----	-----	------------------